


TR EN
(<https://www.linkedin.com/company/pollyboot-pu-safety-boots-wellington-gumboots/>)  (<https://www.linkedin.com/company/pollyboot-pu-safety-boots-wellington-gumboots/>)




(<https://www.instagram.com/pollyboot/>) 

(<https://www.instagram.com/pollyboot/>)

(<https://www.facebook.com/officialstorepollyboot/>)  PRODUCTS BOOT (.../.../.../E

(<https://www.facebook.com/officialstorepollyboot/>)

CONTACT
(.../.../EN/ILETISIM)

 (236) 222 2 999 (tel:(236) 222 2 999)

E-TRADE (<https://www.pollybootstore.com>)

POLLY X-POWER









20345.S5



| | | |
|--|---------------------------|--|
| | PROTECTIVE COMPOSITE TOE | |
| | HOT/COLD INSULATION CI | |
| | NON-SLIP SOLE | |
| | PROTECTIVE KEVLAR MIDSOLE | |
| | ELECTROSTATIC DISCHARGE | |
| | LIGHT | |

| | FEATURES | BENEFITS | | |
|-------------------------------------|--|---|--|--|
| OUTER SURFACE | Polyurethane | Lightweight, flexible and air transfer | | |
| | Flexible Channel Surface Pattern | Esthetical and comfortable clothing. | | |
| | Heel Support | Easy to remove and increase the heel | | |
| | Protective Pads | Provides maximum protection against | | |
| TECHNOLOGY | Shock Absorber Heel | Provides abrasive resistance to sudd | | |
| | Composite Toe | Resistant to 200 joule impacts that i | | |
| | Kevlar Midsole | Prevents cutter or piercing objects fro | | |
| | Antibacterial inner Lining | Interior surface textiles used against ba | | |
| SOLE | Polyurethane and TPU Sole | Thanks to its lightness and TPU, it pr | | |
| | SRC Sole | SRA: Ceramic Surfaces + SRB: Metal | | |
| | Inner Sole | Comfortable, sweat absorber, antibact | | |
| | Design | It provides resistance to scratching a | | |
| Areas of Usage | Food Industry, Dairies, Fish&Meat Processing, Hygiene&Pharm | | | |
| HEAT AND ELECTRICITY | Resistant to -40C / 22.000V | | | |
| OTHER OPTIONS |   20345.S5 |  20345.S4 |  20347.O5 | |
| WEIGHT (+/-) *FOR SIZE 42 | 1.96 kg | 1.85 kg | 1.82 kg | |

LIVESTOCK



CONTACT INFORMATION

POLLYBOOT ÇİZME SANAYİ VE TİCARET A.Ş.



Selimşahlar mah. Burcu Sokak No:8 Şehzadeler - Manisa



(236) 222 2 999 (tel:2362222999)



(236) 236 14 35 (tel: +902362361435)

GALAXY SRA

GID



info@pollyboot.com.tr (mailto:info@pollyboot.com.tr)



export@pollyboot.com.tr (mailto:export@pollyboot.com.tr)



satisdestek@pollyboot.com.tr (mailto:satisdestek@pollyboot.com.tr)



muhasebe@pollyboot.com.tr (mailto:muhasebe@pollyboot.com.tr)



ik@pollyboot.com.tr (mailto:ik@pollyboot.com.tr)

CONTACT FORM

Your name :*

Your surname : *

Kişisel Verilerin Korunması Kanunu Aydınlatma Metni (../..../img/pollyl

[Pollyboot Çerez Politikası \(../..../img/pollyboot-cerez-politikasi.pdf\)](#)

2019© BR